ANIMAL MODELS IN CANCER RESEARCH

Sandra Sexton DVM DACLAM Laboratory Animal Shared Resources Facility Director



Outline

- What is an animal model?
- Principles of model selection
- The process of using animals for research, testing or teaching at RPCI

What is an Animal Model?

- Introduction- Types of models
 - in vitro assays
 - Computer simulation
 - Mathematical models
 - Animal models

Animals may model **analogous** processes (relating one structure or process to another) or **homologous** processes (reflecting counterpart genetic sequences).

Genetically Engineered Mice

- The primary driver of homologous modeling is the Genetically Engineered or Manipulated
- The rapid advancement of genomic sequencing and genomic manipulation improved the animal model selection based on phenotypic analogs of human processes as previously

Modeling Concepts

- One-to-one modeling vs many-to-many modeling.

 - One-to-one inducting vs many-to-many modeling.
 One-to-one A model is pursued that generally demonstrates a similar phenotype to that which is being modeled.
 Infectious disease
 Spontaneous or induced monogenetic disease
 Many-to-many- Results from analysis of a process in an organism in which each component of that process is evaluated at several levels.

 - Organ
 Tissue
 Cell

Many-to-many-modeling is more common

- cancer are complex, often polygenic, with multiple interactive environmental influences.
- The advent of high-throughput techniques such as sequencing, proteomics and transcriptomics has facilitated this process.
- Comparative genomics demonstrates the impressive degree of genetic conservation between common research species and

1
,
_

Animal Model Classification Spontaneous or Induced

- Spontaneous models normal animals with phenotypic similarity to those of humans or by abnormal members of a species that arise through spontaneous mutations(s).
- Induced models- Animals submitted to surgical, genetic, chemical or other manipulation resulting in an alteration to their normal physiologic state.

Examples of Spontaneous Mutations

■ Gunn rat- (Hereditary Hyperbilirubinemia) These rats were jaundiced and the defect (a lack of the enzyme uridine diphosphate glucuronyltransferase) was transmitted as an autosomal recessive characteristic.





Spontaneous models Type 1 Diabetes mellitus Non obese diabetic mouse BB Wistar rats

Spontaneous models ■ SCID (Severe combined Immune deficient ■ Nude mouse - Disruption of the FOX N1 gene

Other Spontaneous models

- Watanabe rabbit- hypercholesterolemia
- Brattleboro rats Diabetes insipidus
- Obese chickens- Autoimmune thyroiditis
- Spontaneous Hypertensive Rats
- Dogs and mice with Duchenne X-linked Muscular dystrophy
- Dogs with hemophilia A and B

Induced models

- Helped unravel important concepts in physiology and medicine

 - Coronal transplantation
 Coronary bypass
 Balloon angioplasty
 Replacement of heart valves
 Development of cardiac pacemakers
 Discovery of insulin
 Surgical resection of the intestines including techniques of colostomy

Indic	red m	nadel	s cont	าทาเอด	

- Models induced by diet or administration of drugs and chemicals.
 - Alloxan and Streptozotocin- To induce diabetes as these drugs destroy the Beta cells of the islets of Langerhans.
 Chemical mutagenesis approaches in mice and zebrafish.

 - minerals needs and pathogenesis of many diseases.

More recently...humanized mice

- Already immune deficient mice (SCIDs) are exposed to myeloablation irradiation and then reconstituted with human stem cells (generally hCD34+ human hematopoietic stem cells) these mice can then be used to study a variety of infectious and immunological diseases.
 A promising new model has been developed for personalized cancer treatment Transplanting tissue biopsies from patients with tumors into a variety of immune deficient mice and then testing various treatment modalities to determine most efficacious treatment for that patient's specific tumor.

The process of using animals for research testing and teaching

Animals in Research

- ☐ Laboratory animal science professionals accept responsibilities of caring for the animals, supporting quality research, and complying with a variety of regulatory requirements.
- The use of animals in research is a privilege and the animals must be treated respectfully, carefully and responsibly.



The IACUC Institutional Animal Care and Use Committee

- By <u>law</u>, an institutional committee is responsible for assessment and oversight of the institution's animal care and use program and facilities.
- This committee is most commonly referred to as the "Institutional Animal Care and Use Committee", or IACUC.

IACIIC Basic Functions

- The IACUC has many jobs. Some of them include:
- Reviewing and approving animal use protocols submitted by investigators.
- Monitorium the animal care and use program by conducting thorough reviews of the program and inspections of the animal facilities semiannually

The Privilege of Conducting Animal Research



- An effective IACUC protects both the individual investigator and the institution, while inspiring confidence in the general public that animal research is being performed in an ethical manner.
- Research utilizing animals is a privilege, not a right.

Basic laws and guidelines that govern animal research in the United States

■ The first important agency regulating animal research is the United States Department of Agriculture (USDA) endorses the Animal Welfare Act.





Who is covered by USDA?



 The Animal Welfare Act regulates any institution that fits the following criteria:
 1.Purchases or transports live animals in commerce

or

2.Receives funds under a grant, award, loan, or contract from a department, or agency of the United States for the purpose of carrying out research, tests, or experiments.

To what animals do the Animal Welfare Regulations apply?

- "Animal means any live or dead dog, cat, nonhuman primate, guinea pig, hamster, rabbit, or any other warm blooded animal, which is being used, or is intended for use for research, teaching, testing, experimentation, or exhibition purposes, or as a pet".
- Excludes mice, rats, birds, horses not used for research and other farm animals.

The Public Health Service (PHS)

■ The second important agency involved in regulating animal use is the Department of Health and Human Services, which is the home of the Public Health Service (PHS).



The Office of Laboratory Animal Welfare (OLAW)

□ OLAW is responsible for monitoring institutional compliance with PHS policy and guidelines. OLAW relies primarily on two documents for judging compliance, both of which are very important to animal research.



Application of PHS Policy

- PHS Policy covers all vertebrate species used for research, teaching, and testing.
- "Animal- Any live, vertebrate animal used or intended for use in research, research training, experimentation, or biological testing or for related purposes." (includes mice and rats).



Accreditation of Laboratory Animal Care

- AAALAC is a nonprofit organization that accredits animal facilities.
- If an institution meets all applicable standards, then it is awarded AAALAC accreditation.
- In general AAALAC accreditation is considered to be a symbol of a commitment to excellent laboratory animal care and use.



Checking your Knowledge

- - Centers for Disease Control and Prevention
 Animal and Plant Health Inspection Service

 - Office of Laboratory Animal Welfare
 - 4. Fish and Wildlife Service
- Office of Laboratory Animal Welfare

Checking your Knowledge

- Mice of the genus mus and rats of the genus rattus used in research are covered by?
 - 1. The Animal Welfare Act
 - 2. The PHS policy
 - 3 LISDA

The PHS policy

Research at RPCI

Planning Experiments using Animals?

Getting Started

- Explaining Why the Use of Animals in Research is Important
- Some items on an animal protocol form such as
 - "How will the proposed use of animals improve the health of people or animals?"
 - "What is the experimental design of the animal studies planned?"

In general, there must be a compelling potential for benefit to human or animal health to warrant the use of animals

- If you are studying a human or animal disease or health concern.
- Because one of the IACUC members is a non-scientist try to use language that a high school student would understand.
- Make sure you explain medical terms, and define abbreviations the first time they are



- Keep in mind that the IACUC needs to understand the proposed use of anima
- For more complex experiments it is very helpful to provide a flow chart to make the experimental design clear.
 Selecting the best models
- Justifying the animal model selected
 - The presence of previous work in the biomedical literature that validates the use of a particular species in an animal model of a human disease.

 Size, availability and cost.

 Availability of reagents or research tools unique to that species



- Some important points:

 A statistical analysis should be used to justify animal numbers.
- It is acceptable to ask for animals that will be used to perfect surgical or other techniques prior to initiating planned experiments.

It is also acceptable to ask for animals that will be used in pilot experiments in addition to animals requested for more robust experiments.

Description of the Animal **Procedures**

- Your descriptions must include:
 Nonsurgical methods, such as injections, administrations, sample collections, and food or water restriction. Routes and volumes of injections, etc., should be included.
- Surgical methods, to include aseptic technique, the surgical approach, suturing, perioperative care and monitoring, and postoperative analgesia.
- Anesthesia; requirement for and duration of pre-anesthetic fasting, drug agents used, routes of administration, duration of anesthesia, methods of anesthetic monitoring, and care during anesthetic recovery.

Testing

- - The use of highly technical language that proves complete scientific familiarity with the subject matter
 - A description of proposed procedures on the animal protocol form that require the reviewer to refer back to other documents
- 4. The use of a flowchart to illustrate complex experimental designs
- 1. The use of a flowchart to illustrate complex experimental designs

Testing

- - The least sentient species that can provide the needed data should be considered for use.
- Apes are higher in the species hierarchy than rodents.

 Vertebrate species should be used instead of invertebrates whenever possible.

Alternatives



- They described three important concepts now known widely as the "three R's":
- The purpose of these concepts is to minimize animal use and pain or distress while still achieving the critical scientific objectives that lead to advances in health and medicine.

The first "R" is replacement

- Replacement is simply replacing the use of animals with non-animal techniques.
- - Computer models.
- Cell culture or tissue culture systems.



Practical examples of "Replacement" include:

- Use of cell culture techniques to replace animals as incubators for cell lines
- Use of immunologic bench assays to replace bioassays involving animals
- Use of computer software to model the pharmacokinetics of drugs in place of animal

The second "R" is reduction

Reduction is simply reducing the number of animals used.

- Using appropriate group sizes to obtain statistically significant data. Performing multiple experiments simultaneously so that the same control group can be used for all the experiments.

 Sharing tissues with other investigators so that additional animals are not needed.

- Designing experiments so that animals serve as their own controls, when scientifically appropriate.
 Using newer instrumentation that improves precision and reduces the number of animals needed per data point.

The last "R" is refinement



- Refinement refers to changing experiments or procedur pain or distress in those animals that must be used.
- nples of refinements include: v anesthetics that allow rapid induction and reduced recovery
- New analgesics that provide more extended pain relief ostoperatively with less frequent administration.

- Check with the literature and your veterinarian to see if better techniques have evolved that reduce pain or distress on the animals.

Consider Alternatives

- The Animal Welfare Regulations require the IACUC to do two things regarding alternatives:
- Ensure that the principal investigator has considered alternatives if painful or distressing procedures are proposed.
- Evaluate a written narrative provided by the principal investigator that describes which source or sources were used to determine that alternatives were not available.

Organizations

There are a number of organizations that have active research programs into alternatives to animal use.

- They include the Johns Hopkins Center for Alternatives to Animal Testing (CAAT)
- Institute for In Vitro Sciences



USDA Pain/Distress Categories



- Even if you use non-USDA covered species (such as mice or rats) you will be required to place your animals into pain/distress categories.
- A simple yet useful definition of a painful or distressful procedure on an animal is this:
- "A procedure that would cause pain or distress in a human."

Endpoint Criteria

- studies to prevent unnecessary pain and distress are called "endpoint criteria" because they describe when it is time to:

 Euthanize an animal to prevent suffering.
- Discontinue a painful procedure.
- Remove an animal from a study.

Endpoint Criteria

- The criteria used to the criteria life scaled studies to prevent unnecessary pain and distress are called "endpoint criteria" because they describe when it is time to:

 The criteria an animal to prevent suffering.
- Discontinue a painful procedure.
- Remove an animal from a study.

Common Examples of Endpoint Criteria

- Limit on weight loss as a percentage of body
- Sudden pain or distress that cannot be controlled with analgesics, sedatives or
- Severe medical conditions that cannot be controlled with appropriate therapy (e.g. severe systemic infections, kidney or liver failure, heart disease).

1	6

The Noise		At	RPCI			
□ Γumo	r size as	an end	point of	ften incl	ude	
maxir	num tur	nor voli	imes or	tumor v	weight a	as a
perce	ntage of	body w	eight, s	kin ulce:	ration o	ver
the tu	mor, int	erferenc	e with	normal g	gait or	
move	ment, ar	nd interf	erence	with noi	rmal	
feedir	ng and d	rinking	behavi	ors.		
						12 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -
Day 4	Day 7	Day 11	Day 18	Day 25	Day 35	

Surgery

- Surgery will be addressed in detail in your animal use protocol.

 - Sterile or aseptic technique
 General anesthesia- a state of unconsciousness characterized by a complete lack of pain and sensory perception.
 Regional (or local) anesthesia refers to preventing
 - pain and sensory perception in one small part or a region of the body

Survival and Non-Survival Surgery

- Survival surgery is surgery in which the animal regains consciousness after anesthesia.
- animal regams constrained in the surgery,

 If an animal undergoes survival surgery,

 In this year wast be used to prevent postoperative infections, "no matter what vertebrate species is involved."
- The <u>incision site</u> must be properly prepared prior to the incision. The hair/feathers must be clipped and the skin must be disinfected.

Survival and Non-Survival Surgery

- Non-survival surgery is surgery in which the animal is euthanized while under anesthesia, and does not regain consciousness. If an animal undergoes non-survival surgery, sterile technique may not be exputed.
- Even though the animal will not survive beyond the end of surgery, at a minimum these procedures should be followed:
- The surgeon should wear gloves.
- The surgical site should be clipped.
- The instruments and work area should be clean

Major vs. Minor Surgery

- Major surgery is defined as:
- Surgery that penetrates and exposes a body cavity such as the chest or abdomen, or
- Surgery that produces substantial physical or physiological impairment.
 - Laparotomy, thoracotomy, craniotomy, joint replacement, and limb amputation.
- Minor surgery is less invasive surgery that does not meet the criteria for major surgery

Location

- The rooms that can be used for surgery vary depending on:
 - 1.The species
 - 2. Whether a surgery is major or minor
 - 3. Whether the surgery is survival or non-survival







Anesthesia and Analgesia

- Pre-anesthesia: A pre-anesthetic regimen may incorporate agents that will provide analgesia during the postoperative period. This is known as preemptive analgesia, since it provides analgesia before a painful stimulus (i.e. the initial incision) is applied.
- Anesthesia: The anesthetic regimen should provide a duration of anesthesia that matches the duration of the surgical procedure.

Postoperative Analgesia

- Plan which postoperative analgesics will be used at the time when the anesthetic regimen is established. The agent, dose, route, frequency, and duration of treatment should be discussed with and approved by a veterinarian.
- The Animal Welfare Regulations and PHS Policy stress the importance of using postoperative analgesics.



Postoperative Care for Survival Surgeries

- The animal should be monitored to make sure it is recovering properly
- Documentation:
 - For animals larger than rodents, individual health care records are usually maintained, with records of daily observations and treatments during the postoperative care period.
 - For smaller animals like rodents, group records instead of individual records are usually kept.

Blood Collection Information



- When collecting blood samples, the volume and frequency of collection must be carefully limited so that neither shock nor anemia result.
- One simple guideline is to collect no more than 1% of the body weight of blood at one time.
 If a mouse weighs 20 grams, 0.2 ml (0.01 x 20= 0.2 ml) could be safely collected.

Blood Collection in Rodents

- Blood collection from rodents can be challenging.
- The following locations do not require anesthesia for blood collection:
 Lateral tail vein
 Facial (submandibular)

- Lateral saphenous vein





Personnel Training and Experience

- State your experience and training in performing the proposed procedures.
- Although academic degrees are useful indicators of educational experience, they are not often useful by themselves in evaluating an individual's experience in animal research.

Using Hazardous and Toxic Agents in Animals

- If your animal work requires the use of hazardous or toxic agents, there are many important considerations.
- Infectious diseases
- Toxic chemicals including carcinogens, mutagens, biological toxins, and organic chemicals
- Radioactive substances
- Recombinant DNA



Euthanasia

- Euthanasia literally means a "good death". A more appropriate simple definition is a "gentle death".
- Euthanasia techniques should result in a rapid loss of consciousness followed by cardiac or respiratory arrest and finally, the loss of brain function.
- Because it is necessary to euthanize most animals as part of experimental protocols, it is very important to use appropriate euthanasia techniques.

Euthanasia Training



- Personnel must be trained to properly and humanely perform euthanasia.
- Proper training for euthanasia is an area of emphasis because of the increased potential for harm to animals

IACUC Approval

■ Whether you are performing research or testing on animals, or using animals for teaching, you must receive IACUC approval before any use of animals begins.



Making Changes after You Receive Approval

- Some changes often considered significant are:
- Drug dosage changes
 Increasing the number of animals used
- 3. Addition of new drugs/agents 4.Performing an additional procedure
- 5. Changing procedures in any way that might increase the pain/distress category in which the animals are placed 6. Using animals approved for use on one of your protocols for use on another of your IACUC-approved protocols.

Services in the Laboratory Animal Shared Resource at RPCI

- Training in animal care and use
- Animal care
- Health Surveillance Program







Additional training in handling and restrain Mice are easy to restrain for the purpose of examination, injection and other administrations, and blood collection Pick up a mouse by the tail (away from the tail tip) and lift the mouse directly to the wire lid.

Determining Sex and Age Mice are sexed on

- Mice are sexed on the basis of the anogenital distance, which is the distance between the anus and genital papilla.
- The anogenital distance is greater in the male than the female for all ages – adults, juveniles, and newborns.



Animal identification


Rodents can be identified with the numbers 1 through 99 by putting a hole, a notch, a double notch, or any combination of these three marks in one or both ears.



Common Routes of Drug administration in mice

- Sub cutaneous
- Intraperitoneal
- Intravenous
- Oral Gavage









Final Comments

- Animal Research is Important
- By understanding more about animal research, you help your IACUC and the research community assure the American public that animal research is conducted according to the highest standards.
- Our society needs animal research and the accompanying medical advances that have reduced suffering and increased the quality of our lives

